Π

(Non-legislative acts)

# REGULATIONS

#### COUNCIL REGULATION (EU) 2021/2283

### of 20 December 2021

opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products, and repealing Regulation (EU) No 1388/2013

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty on the Functioning of the European Union, and in particular Article 31 thereof,

Having regard to the proposal from the European Commission,

Whereas:

- (1) The production of certain agricultural and industrial products in the Union is insufficient to meet the specific requirements of the user industries in the Union. Consequently, Union supplies of those products depend on imports from third countries. The most urgent Union requirements for the products concerned should be met immediately on the most favorable terms. Autonomous tariff quotas of the Union ('quotas') at preferential quota duty rates should therefore be opened within the limits of appropriate quota volumes, taking account of the need not to disturb the markets for such products or impede the establishment or development of production in the Union.
- (2) It is necessary to ensure equal and uninterrupted access to the quotas for all importers in the Union and to ensure the uninterrupted application of the quota duty rates laid down for those quotas to all imports of the products concerned into all Member States until the quotas have been exhausted.
- (3) Commission Implementing Regulation (EU) 2015/2447 (<sup>1</sup>) provides for a system of quota management which ensures equal and uninterrupted access to the quotas and uninterrupted application of the quota duty rates, and which follows the chronological order of the dates of acceptance of declarations of release for free circulation. The quotas opened by this Regulation should therefore be managed by the Commission and the Member States in accordance with that system.
- (4) The quota volumes are mostly expressed in supplementary units of weight. For certain products for which a quota is opened, the quota volume is set out in another supplementary unit. Where no supplementary unit is specified for those products in the Combined Nomenclature laid down in Annex I to Council Regulation (EEC) No 2658/87 (<sup>2</sup>) ('the Combined Nomenclature'), there can be uncertainty in respect of the supplementary unit used. For the sake of clarity and in the interests of better quota management, it is therefore necessary to provide that, in order to benefit from those quotas, the exact quantity of the products imported be entered in the declaration for release for free circulation using the supplementary unit of the quota volume set out for those products in this Regulation.

<sup>(&</sup>lt;sup>1</sup>) Commission Implementing Regulation (EU) 2015/2447 of 24 November 2015 laying down detailed rules for implementing certain provisions of Regulation (EU) No 952/2013 of the European Parliament and of the Council laying down the Union Customs Code (OJ L 343, 29.12.2015, p. 558).

<sup>(2)</sup> Council Regulation (EEC) No 2658/87 of 23 July 1987 on the tariff and statistical nomenclature and on the Common Customs Tariff (OJ L 256, 7.9.1987, p. 1).

- (5) It is necessary to clarify that any mixtures, preparations or products made up of different components containing products subject to quotas should be excluded from the scope of this Regulation, as only the products as described in this Regulation should be subject to the quotas.
- (6) Council Regulation (EU) No 1388/2013 (<sup>3</sup>) has been amended many times. In addition, as the coding of the Combined Nomenclature has been updated by Commission Implementing Regulation (EU) 2021/1832 (<sup>4</sup>), a large number of changes to Regulation (EU) No 1388/2013 would be required. Therefore, in the interests of clarity and transparency, that Regulation should be replaced in its entirety.
- (7) In accordance with the principle of proportionality, it is necessary and appropriate for the achievement of the basic objective of promoting trade between Member States and third countries to lay down rules in order to balance the different commercial interests of economic operators in the Union without changing the Union's World Trade Organization schedule. This Regulation does not go beyond what is necessary in order to achieve the objectives pursued in accordance with Article 5(4) of the Treaty on European Union.
- (8) In order to avoid any interruption of the application of the quota scheme and to comply with the guidelines set out in the communication from the Commission of 13 December 2011 concerning autonomous tariff suspensions and quotas, the quotas for the products listed in this Regulation should apply from 1 January 2022. This Regulation should therefore enter into force as a matter of urgency,

HAS ADOPTED THIS REGULATION:

#### Article 1

1. For the agricultural and industrial products listed in the Annex, autonomous tariff quotas of the Union ('quotas') shall be opened.

2. Within the quotas referred to in paragraph 1 of this Article, the Common Customs Tariff duties referred to in Article 56(2), point (c), of Regulation (EU) No 952/2013 of the European Parliament and of the Council (<sup>5</sup>) are suspended for the quota periods, at the quota duty rates and up to the quota volumes indicated in the Annex to this Regulation.

3. Paragraphs 1 and 2 do not apply to any mixtures, preparations or products made up of different components containing products listed in the Annex.

#### Article 2

The quotas referred to in Article 1 of this Regulation shall be managed by the Commission in accordance with Articles 49 to 54 of Implementing Regulation (EU) 2015/2447.

#### Article 3

Where a customs declaration for release for free circulation is lodged for products for which supplementary units have been provided in the Annex, the exact quantity of the products imported shall be entered in that declaration using the supplementary unit set out in the Annex.

<sup>(3)</sup> Council Regulation (EU) No 1388/2013 of 17 December 2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products, and repealing Regulation (EU) No 7/2010 (OJ L 354, 28.12.2013, p. 319).

<sup>(\*)</sup> Commission Implementing Regulation (EU) 2021/1832 of 12 October 2021 amending Annex I to Council Regulation (EEC) No 2658/87 on the tariff and statistical nomenclature and on the Common Customs Tariff (OJ L 385, 29.10.2021, p. 1).

<sup>(&</sup>lt;sup>5</sup>) Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1).

## Article 4

Regulation (EU) No 1388/2013 is repealed.

Article 5

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*. It shall apply from 1 January 2022.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 20 December 2021.

For the Council The President A. VIZJAK

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty rate
09.2637	ex 0710 40 00 ex 2005 80 00	20 30	Corn cobs ( <i>Zea mays</i> var. <i>saccharata</i> ) whether or not cut, with a diameter of 10 mm or more, but not more than 20 mm, for use in the manufacture of products of the food industry for treatment other than simple repacking $\binom{1}{2}$ $\binom{2}{3}$	1.131.12.	550 tonnes	0 % (3)
09.2849	ex 0710 80 69	10	Mushrooms of the species Auricularia polytricha (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals $(1)$ $(2)$	1.131.12.	700 tonnes	0 %
09.2664	ex 2008 60 39	30	Sweet cherries containing added spirit, with a sugar content of not more than 9 % by weight, of a diameter of not more than 19,9 mm, with stones, for use in chocolate products ( <sup>1</sup> )	1.131.12.	1 000 tonnes	10 %
09.2740	ex 2309 90 31	87	Soya bean protein concentrate containing by weight: — 60 % (± 10 %) of crude protein, — 5 % (± 3 %) of crude fibre, — 5 % (± 3 %) of crude ash, and — 3 % or more but not more than 6,9 % of starch, for use in the manufacture of animal feed products ( <sup>1</sup> )	1.131.12.	30 000 tonnes	0 %
09.2913	ex 2401 10 35 ex 2401 10 70 ex 2401 10 95 ex 2401 10 95 ex 2401 10 95 ex 2401 20 35 ex 2401 20 70 ex 2401 20 95 ex 2401 20 95 ex 2401 20 95	91 10 11 21 91 91 10 11 21 91	Natural unmanufactured tobacco, whether or not cut in regular size, having a custom value of not less than EUR 450 per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00 ( <sup>1</sup> )	1.131.12.	6 000 tonnes	0 %
09.2586	ex 2710 19 81 ex 2710 19 99	20 40	Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: — 90 % or more by weight of saturates, and — not more than 0,03 % by weight of sulphur, and with: — a viscosity index of 80 or more, but less than 120, and — a kinematic viscosity of 5,0 cSt at 100 °C or more, but not more than 13,0 cSt at 100 °C	1.130.6.	75 000 tonnes	0 %
09.2828	2712 20 90	1	Paraffin wax containing by weight less than 0,75 % of oil	1.131.12.	100 000 tonnes	0 %

ANNEX

L 458/36 EN

09.2600	ex 2712 90 39	10	Slack wax (CAS RN 64742-61-6)	1.131.12.	100 000 tonnes	0 %
09.2578	ex 2811 19 80	50	Sulphamidic acid (CAS RN 5329-14-6) with a purity by weight of 95 % or more, whether or not with not more than 5 % addition of the anti-caking agent silicon dioxide (CAS RN 112926-00-8)	1.131.12.	27 000 tonnes	0 %
09.2928	ex 2811 22 00	40	Silica filler in the form of granules, with a purity by weight of 97 % or more of silicon dioxide	1.131.12.	1 700 tonnes	0 %
09.2806	ex 2825 90 40	30	Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or CAS RN 39318-18-8)	1.131.12.	12 000 tonnes	0 %
09.2872	ex 2833 29 80	40	Caesium sulphate (CAS RN 10294-54-9) in solid form or as aqueous solution containing by weight 48 % or more but not more than 52 % of caesium sulphate	1.131.12.	400 tonnes	0 %
09.2567	ex 2903 22 00	10	Trichloroethylene (CAS RN 79-01-6) with a purity by weight of 99 % or more	1.131.12.	11 885 000 kilo- grams	0 %
09.2837	ex 2903 79 30	20	Bromochloromethane (CAS RN 74-97-5)	1.131.12.	600 tonnes	0 %
09.2933	ex 2903 99 80	30	1,3-Dichlorobenzene (CAS RN 541-73-1)	1.131.12.	2 600 tonnes	0 %
09.2700	ex 2905 12 00	10	Propan-1-ol (propyl alcohol) (CAS RN 71-23-8)	1.131.12.	15 000 tonnes	0 %
09.2830	ex 2906 19 00	40	Cyclopropylmethanol (CAS RN 2516-33-8)	1.131.12.	20 tonnes	0 %
09.2851	ex 2907 12 00	10	O-cresol (CAS RN 95-48-7) having a purity of not less than 98,5 % by weight	1.131.12.	20 000 tonnes	0 %
09.2704	ex 2909 49 80	20	2,2,2',2'-Tetrakis(hydroxymethyl)-3,3'-oxydipropan-1-ol (CAS RN 126-58-9)	1.131.12.	500 tonnes	0 %
09.2565	ex 2914 19 90	70	Calcium acetylacetonate (CAS RN 19372-44-2) with a purity by weight of 95 % or more	1.131.12.	400 tonnes	0 %
)9.2852	ex 2914 29 00	60	Cyclopropyl methyl ketone (CAS RN 765-43-5)	1.131.12.	300 tonnes	0 %
)9.2638	ex 2915 21 00	10	Acetic acid (CAS RN 64-19-7) of a purity by weight of 99 % or more	1.131.12.	1 000 000 tonnes	0 %
09.2679	2915 32 00		Vinyl acetate (CAS RN 108-05-4)	1.131.12.	400 000 tonnes	0 %
09.2728	ex 2915 90 70	85	Ethyl trifluoroacetate (CAS RN 383-63-1)	1.131.12.	400 tonnes	0 %
9.2665	ex 2916 19 95	30	Potassium (E,E)-hexa-2,4-dienoate (CAS RN 24634-61-5)	1.131.12.	8 250 tonnes	0 %
09.2684	ex 2916 39 90	28	2,5-dimethylphenylacetyl chloride (CAS RN 55312-97-5)	1.131.12.	700 tonnes	0 %
09.2599	ex 2917 11 00	40	Diethyl oxalate (CAS RN 95-92-1)	1.131.12.	500 tonnes	0 %

ex 2917 13 90	10				
	10	Dimethyl sebacate (CAS RN 106-79-6)	1.131.12.	1 000 tonnes	0 %
ex 2917 19 80	40	Dodecanedioic acid (CAS RN 693-23-2), of a purity by weight of more than 98,5 %	1.131.12.	8 000 tonnes	0 %
ex 2918 22 00	10	O-acetylsalicylic acid (CAS RN 50-78-2)	1.131.12.	120 tonnes	0 %
ex 2918 29 00	75	Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with: — a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 49 °C or more, but not more than 54 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) ( <sup>1</sup> )	1.131.12.	380 tonnes	0 %
ex 2918 29 00	80	<ul> <li>Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8) wita h:</li> <li>a sieve passing fraction at a mesh width of 250 μm of more than 75 % by weight and at a mesh width of 500 μm of more than 99 % by weight, and</li> <li>a melting point of 110 °C or more, but not more than 125 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (<sup>1</sup>)</li> </ul>	1.131.12.	140 tonnes	0 %
ex 2918 30 00	10	Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)	1.131.12.	1 000 tonnes	0 %
ex 2920 29 00	70	Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 31570-04-4)	1.131.12.	6 000 tonnes	0 %
ex 2921 19 99	75	Octadecylamine (CAS RN 124-30-1)	1.131.12.	400 tonnes	0 %
ex 2921 29 00	60	Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5)	1.131.12.	1 700 tonnes	0 %
ex 2921 41 00	10	Aniline (CAS RN 62-53-3) with a purity by weight of 99 % or more	1.131.12.	150 000 tonnes	0 %
ex 2921 42 00	89	4-Fluoro-N-(1-methylethyl)benzeneamine (CAS RN 70441-63-3)	1.131.12.	500 tonnes	0 %
ex 2921 51 19	10	o-phenylenediamine (CAS RN 95-54-5)	1.131.12.	1 800 tonnes	0 %
ex 2922 41 00	20	L-Lysine hydrochloride (CAS RN 657-27-2) or an aqueous solution of L-lysine (CAS RN 56-87-1), containing by weight 50 % or more of L-lysine	1.130.6.	122 500 tonnes	0 %
ex 2922 50 00	25	L-Threonine (CAS RN 72-19-5)	1.131.12.	166 000 tonnes	0 %
ex 2923 90 00	87	3-Chloro-2-hydroxypropyl)trimethylammonium chloride (CAS RN 3327-22-8), in the form of an aqueous solution containing by weight 65 % or more but not more than 71 % 3-chloro-2-hydroxypropyl)trimethylammonium chloride	1.131.12.	19 000 tonnes	0 %
	ex 2918 22 00 ex 2918 29 00 ex 2918 29 00 ex 2918 29 00 ex 2918 30 00 ex 2920 29 00 ex 2921 29 00 ex 2921 41 00 ex 2921 41 00 ex 2921 51 19 ex 2922 50 00	xx 2918 22 00       10         xx 2918 29 00       75         xx 2918 29 00       80         xx 2918 29 00       80         xx 2918 29 00       80         xx 2918 30 00       10         xx 2920 29 00       70         xx 2921 19 99       75         xx 2921 41 00       10         xx 2921 51 19       10         xx 2922 50 00       25	xx 2918 22 0010O-acetylsalicylic acid (CAS RN 50-78-2)xx 2918 29 0075Octadecyl 3.(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with: — a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 49 °C or more, but not more than 54 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (?)xx 2918 29 0080Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8) wita h: — a sieve passing fraction at a mesh width of 250 µm of more than 75 % by weight and at a mesh width of 500 µm of more than 125 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (?)xx 2918 30 0010Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)xx 2918 30 0010Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)xx 2912 19 9975Octadecylamine (CAS RN 124-30-1)xx 2921 29 0060Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5)xx 2921 42 00894-Fluoro-N-(1-methylethyl)benzeneamine (CAS RN 70441-63-3)xx 2921 41 0010Aniline (CAS RN 657-27-2) or an aqueous solution of L-lysine (CAS RN 56-87-1), containing by weight 50 % or more of L-lysinexx 2922 50 0025L-Threonine (CAS RN 72-19-5)xx 2923 90 00873-Chloro-2-hydroxypropyl)trimethylamnonium chloride (CAS RN 3327-22-8), in the form of an aqueous solution containing by weight 65 % or more than 71 % 3-chloro-	x 2918 22 0010O-acetylsalicylic acid (CAS RN 50-78-2)1.131.12.xx 2918 29 0075Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with: — a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 49 °C or more, but not more than 54 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) ()1.131.12.xx 2918 29 0080Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 683-19-8) wita h: — a sieve passing fraction at a mesh width of 250 µm of more than 75 % by weight and at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 110 °C or more, but not more than 125 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) ()1.131.12.xx 2918 30 0010Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)1.131.12.xx 2920 29 0070Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 31570-04-4)1.131.12.xx 2921 19 9975Octadecylamine (CAS RN 124-30-1)1.131.12.xx 2921 42 00894-Fluoro-N-(1-methylethyl)amine (CAS RN 3030-47-5)1.131.12.xx 2921 51 1910o-phenylenediamine (CAS RN 95-54-5)1.131.12.xx 2922 50 0025L-Threonine (CAS RN 65-72-72) or an aqueous solution of L-lysine (CAS RN 56-87-1), containing by weight 50 % or more but not more than 71 % 3-chloro-1.131.12.xx 2922 50 0025L-Threonine (CAS RN 72-19-5)1.131.12.xx 2922 50 0025 <td< td=""><td>xx 2918 22 00       10       O-acetylsalicylic acid (CAS RN 50-78-2)       1.131.12.       120 tonnes         xx 2918 29 00       75       Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with: — a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight, and — a melting point of 49 °C or more, but not more than 94 °C, for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (1)       1.131.12.       140 tonnes         xx 2918 29 00       80       Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (1)       1.131.12.       140 tonnes         xx 2918 29 00       80       Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN for use in the manufacture of PVC processing stabilizer-one packs based on powder mixtures (powders or press granulates) (1)       1.131.12.       140 tonnes         xx 2918 30 00       10       Benzophenone-3,3;4,4-tetracarboxylic dianhydride (CAS RN 2421-28-5)       1.131.12.       1000 tonnes         xx 2921 29 00       70       Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 3030-47-5)       1.131.12.       400 tonnes         xx 2921 29 00       60       Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5)       1.131.12.       150 000 tonnes         xx 2921 41 00       10</br></br></br></br></td></td<>	xx 2918 22 00       10       O-acetylsalicylic acid (CAS RN 50-78-2)       1.131.12.       120 tonnes         xx 2918 29 00       75       Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with: — a sieve passing fraction at a mesh width of 500 µm of more than 99 % by weight, and 

09.2854	ex 2924 19 00	85	3-iodoprop-2-yn-1-yl butylcarbamate (CAS RN 55406-53-6)	1.131.12.	400 tonnes	0 %
09.2874	ex 2924 29 70	87	Paracetamol (INN) (CAS RN 103-90-2)	1.131.12.	20 000 tonnes	0 %
09.2742	ex 2926 10 00	10	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of chapter 55 and heading 6815 $(^1)$	1.131.12.	60 000 tonnes	0 %
09.2583	ex 2926 10 00	20	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of headings 2921, 2924, 3906 and 4002 ( <sup>1</sup> )	1.131.12.	40 000 tonnes	0 %
09.2856	ex 2926 90 70	84	2-Nitro-4(trifluoromethyl)benzonitrile (CAS RN 778-94-9)	1.131.12.	900 tonnes	0 %
09.2708	ex 2928 00 90	15	Monomethylhydrazine (CAS RN 60-34-4) in the form of an aqueous solution with a content by weight of monomethylhydrazine of 40 (± 5) $\%$	1.131.12.	900 tonnes	0 %
09.2581	ex 2929 10 00	25	1,5-Naphthylene diisocyanate (CAS RN 3173-72-6) with a purity by weight of 90 % or more	1.131.12.	300 tonnes	0 %
09.2685	ex 2929 90 00	30	Nitroguanidine (CAS RN 556-88-7)	1.131.12.	6 500 tonnes	0 %
09.2597	ex 2930 90 98	94	Bis[3-(triethoxysilyl)propyl]disulphide (CAS RN 56706-10-6)	1.131.12.	6 000 tonnes	0 %
09.2596	ex 2930 90 98	96	2-Chloro-4-(methylsulphonyl)-3-((2,2,2-trifluoroethoxy)methyl) benzoic acid (CAS RN 120100-77-8)	1.131.12.	300 tonnes	0 %
09.2580	ex 2931 90 00	75	Hexadecyltrimethoxysilane (CAS RN 16415-12-6) with a purity by weight of at least 95 %, for use in the manufacture of polyethylene $(1)$	1.131.12.	165 tonnes	0 %
09.2842	29321200		2-Furaldehyde (furfuraldehyde)	1.131.12.	10 000 tonnes	0 %
09.2696	ex 2932 20 90	25	Decan-5-olide (CAS RN 705-86-2)	1.131.12.	6 000 kilograms	0 %
09.2697	ex 2932 20 90	30	Dodecan-5-olide (CAS RN 713-95-1)	1.131.12.	6 000 kilograms	0 %
09.2812	ex 2932 20 90	77	Hexan-6-olide (CAS RN 502-44-3)	1.131.12.	4 000 tonnes	0 %
09.2858	29329300		Piperonal (CAS RN 120-57-0)	1.131.12.	220 tonnes	0 %
09.2673	ex 2933 39 99	43	2,2,6,6-Tetramethylpiperidin-4-ol (CAS RN 2403-88-5)	1.131.12.	1 000 tonnes	0 %
09.2880	ex 2933 59 95	39	Ibrutinib (INN) (CAS RN 936563-96-1)	1.131.12.	5 tonnes	0 %
09.2860	ex 2933 69 80	30	1,3,5-Tris[3-(dimethylamino)propyl]hexahydro-1,3,5-triazine (CAS RN 15875-13-5)	1.131.12.	600 tonnes	0 %
09.2566	ex 2933 99 80	05	1,4,7,10-Tetraazacyclododecane (CAS RN 294-90-6) with a purity by weight of 96 % or more	1.131.12.	60 tonnes	0 %
09.2658	ex 2933 99 80	73	5-(Acetoacetylamino)benzimidazolone (CAS RN 26576-46-5)	1.131.12.	400 tonnes	0 %
,	1					

09.2593	ex 2934 99 90	67	5-Chlorothiophene-2-carboxylic acid (CAS RN 24065-33-6)	1.131.12.	45 000 kilograms	0 %
09.2675	ex 2935 90 90	79	4-[[(2-Methoxybenzoyl)amino]sulfonyl]benzoyl chloride (CAS RN 816431-72-8)	1.131.12.	1 000 tonnes	0 %
09.2710	ex 2935 90 90	91	2,4,4-trimethylpentan-2-aminium (3R,5S,6E)-7-{2-[(ethylsulfonyl)amino]- 4-(4-fluorophenyl)-6-(propan-2-yl)pyrimidin-5-yl}-3,5-dihydroxyhept-6- enoate (CAS RN 917805-85-7)	1.131.12.	5 000 kilograms	0 %
09.2945	ex 2940 00 00	20	D-Xylose (CAS RN 58-86-6)	1.131.12.	400 tonnes	0 %
09.2686	ex 3204 11 00	75	Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of 99 % or more by weight	1.131.12.	250 tonnes	0 %
09.2676	ex 3204 17 00	14	Preparations based on Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) with a content thereof of 60 % or more but less than 85 % by weight	1.131.12.	50 tonnes	0 %
09.2698	ex 3204 17 00	30	Colourant C.I. Pigment Red 4 (CAS RN 2814-77-9) and preparations based thereon with a colourant C.I. Pigment Red 4 content of 60 % or more by weight	1.131.12.	150 tonnes	0 %
09.2659	ex 3802 90 00	19	Soda flux calcinated diatomaceous earth	1.131.12.	35 000 tonnes	0 %
09.2908	ex 3804 00 00	10	Sodium lignosulphonate (CAS RN 8061-51-6)	1.131.12.	40 000 tonnes	0 %
09.2889	3805 10 90		Sulphate turpentine	1.131.12.	25 000 tonnes	0 %
09.2935	ex 3806 10 00	10	Rosin and resin acids obtained from fresh oleoresins	1.131.12.	280 000 tonnes	0 %
09.2832	ex 3808 92 90	40	Preparation containing 38 % or more but not more than 50 % by weight of pyrithione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion	1.131.12.	500 tonnes	0 %
09.2876	ex 3811 29 00	55	Additives consisting of reaction products of diphenylamine and branched nonenes containing by weight: — 28 % or more, but not more than 55 % of 4-monononyldiphenylamine, — 45 % or more but not more than 65 % of 4,4'-dinonyldiphenylamine, and — not more than 5 % of 2, 4-dinonyldiphenylamine and 2, 4'-dinonyldiphenylamine, used for the manufacture of lubricating oils ( <sup>1</sup> )	1.131.12.	900 tonnes	0 %
09.2814	ex 3815 90 90	76	Catalyst consisting of titanium dioxide and tungsten trioxide	1.131.12.	3 000 tonnes	0 %

09.2644	ex 3824 99 92	77	<ul> <li>Preparation containing by weight:</li> <li>55 % or more but not more than 78 % of dimethyl gluterate (CAS RN 1119-40-0),</li> <li>10 % or more but not more than 30 % of dimethyl adipate (CAS RN 627-93-0), and</li> <li>not more than 35 % of dimethyl succinate (CAS RN 106-65-0)</li> </ul>	1.131.12.	10 000 tonnes	0 %
09.2681	ex 3824 99 92	85	Mixture of bis [3-(triethoxysilyl)propyl]sulphides (CAS RN 211519-85-6)	1.131.12.	9 000 tonnes	0 %
09.2650	ex 3824 99 92	87	Acetophenone (CAS RN 98-86-2), with a purity by weight of 60 $\%$ or more but not more than 90 $\%$	1.131.12.	2 000 tonnes	0 %
09.2888	ex 3824 99 92	89	Mixture of tertiary alkyldimethyl amines containing by weight: — 60 % or more but not more than 80 % of dodecyldimethylamine (CAS RN 112-18-5), and — 20 % or more but not more than 30 % of dimethyl(tetradecyl)amine (CAS RN 112-75-4)	1.130.6.	10 000 tonnes	0 %
09.2829	ex 3824 99 93	43	Solid extract of the residual, insoluble in aliphatic solvents, obtained during the extraction of rosin from wood, having the following characteristics: — a resin acid content not exceeding 30 % by weight, — an acid number not exceeding 110, and — a melting point of 100 °C or more	1.131.12.	1 600 tonnes	0 %
09.2907	ex 3824 99 93	67	<ul> <li>Mixture of phytosterols, in the form of powder, containing by weight:</li> <li>75 % or more of sterols,</li> <li>not more than 25 % of stanols,</li> <li>for use in the manufacture of stanols/sterols or stanol/sterol esters (<sup>1</sup>)</li> </ul>	1.131.12.	2 500 tonnes	0 %
09.2568	ex 3824 99 96	91	<ul> <li>Mixture, in pellet form, containing by weight:</li> <li>49 % or more but not more than 50 % of bis[3-(triethoxysilyl)propyl] polysulphides (CAS RN 211519-85-6), and</li> <li>50 % or more but not more than 51 % of carbon black (CAS RN 1333-86-4), of which 75 % by weight or more pass through a sieve with an aperture of 0,60 mm, but not more than 10 % pass through a sieve with an aperture of 0,25 mm (as determined by the ASTM D1511 method)</li> </ul>	1.131.12.	1 500 tonnes	0 %
09.2820	ex 3827 90 00	10	Mixtures containing by weight: — 60 % or more but not more than 90 % of 2-chloropropene (CAS RN 557-98-2), — 8 % or more but not more than 14 % of (Z)-1-chloropropene (CAS RN 16136-84-8), — 5 % or more but not more than 23 % of 2-chloropropane (CAS RN 75-29-6),	1.131.12.	6 000 tonnes	0 %

		1				
			<ul> <li>not more than 6 % of 3-chloropropene (CAS RN 107-05-1), and</li> <li>not more than 1 % of ethyl chloride (CAS RN 75-00-3)</li> </ul>			
09.2671	ex 3905 99 90	81	Poly(vinyl butyral)(CAS RN 63148-65-2): — containing by weight 17,5 % or more, but not more than 20 % of hydroxyl groups, and — with a median particle size (D50) of more than 0,6 mm	1.131.12.	12 500 tonnes	0 %
09.2846	ex 3907 40 00	25	Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of not less than 98,5 % by weight, in the form of pellets or granules, with a luminous transmittance of not less than 88,5 %, measured using a test sample with a thickness of 4 mm at a wavelength of $\lambda$ = 400 nm (according to ISO 13468-2)	1.131.12.	2 000 tonnes	0 %
09.2585	ex 3907 99 80	70	Copolymer of poly(ethylene terephthalate) and cyclohexane dimethanol, containing more than 10 % by weight of cyclohexane dimethanol	1.131.12.	60 000 tonnes	2 %
09.2723	ex 3911 90 19	10	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-4,4'-biphenylene)	1.131.12.	5 000 tonnes	0 %
09.2816	ex 3912 11 00	20	Cellulose acetate flakes	1.131.12.	75 000 tonnes	0 %
09.2573	ex 3913 10 00	20	Sodium alginate extracted from brown seaweed, with — a loss on drying of not more than 15 % by weight (4h at 105 °C), — a water-insoluble fraction of not more than 2 % by weight, calculated on the dry weight	1.131.12.	2 000 tonnes	0 %
09.2641	ex 3913 90 00	87	<ul> <li>Sodium hyaluronate, non sterile, with:</li> <li>a weight average molecular weight (M<sub>w</sub>) of not more than 900 000,</li> <li>an endotoxin level of not more than 0,008 Endotoxin units (EU)/mg,</li> <li>an ethanol content of not more than 1 % by weight,</li> <li>an isopropanol content of not more than 0,5 % by weight</li> </ul>	1.131.12.	300 kilograms	0 %
09.2661	ex 3920 51 00	50	Sheets of polymethylmethacrylate conforming to standards: — EN 4364 (MIL-P-5425E) and DTD5592A, or — EN 4365 (MIL-P-8184) and DTD5592A	1.131.12.	100 tonnes	0 %
09.2645	ex 3921 14 00	20	Cellular block of regenerated cellulose, impregnated with water containing magnesium chloride and quaternary ammonium compounds, measuring 100 cm ( $\pm$ 10 cm) x 100 cm ( $\pm$ 10 cm) x 40 cm ( $\pm$ 5 cm)	1.131.12.	1 700 tonnes	0 %
09.2572	ex 5205 26 00 ex 5205 27 00	10 10	<ul> <li>Raw white single cotton yarn</li> <li>of combed fibres,</li> <li>with an average fibre length of 36,5 mm or more,</li> <li>produced through the compact ring spinning process with pneumatic compression,</li> <li>with a tear strength of 26,5 cN/tex or more (according to ISO 2062:2009, at a speed of 5 000 mm/min)</li> </ul>	1.131.12.	50 000 tonnes	0 %

L 458/42

09.2576	ex 5208 12 16	20	<ul> <li>Unbleached woven fabric in plain weave, with:</li> <li>a width of not more than 145 cm,</li> <li>a weight of 120 g/m<sup>2</sup> or more, but not more than 130 g/m<sup>2</sup>,</li> <li>30 or more, but not more than 45 wefts per cm,</li> <li>a tuck-in selvedge on both sides,</li> <li>where from the inside out, the 15 mm (± 2mm) wide tuck-in selvedge consists of a 6 mm or more but not more than 9 mm wide strip of plain weave and a 6 mm or more but not more than 9 mm wave</li> </ul>	1.131.12.	1 500 000 square meters	0 %
09.2577	ex 5208 12 96	20	<ul> <li>Unbleached woven fabric in plain weave, with:</li> <li>a width of not more than 145 cm,</li> <li>a weight of more than 130 g/m<sup>2</sup>, but not more than 145 g/m<sup>2</sup></li> <li>30 or more, but not more than 45 wefts per cm,</li> <li>a tuck-in selvedge on both sides,</li> <li>where from the inside out, the 15mm (± 2mm wide) tuck-in selvedge consists of a 6 mm or more but not more than 9 mm wide strip of plain weave and a 6 mm or more but not more than 9 mm wave</li> </ul>	1.131.12.	2 300 000 square meters	0 %
09.2848	ex 5505 10 10	10	Waste of synthetic fibres (including noils, yarn waste, and garnetted stock) of nylon or other polyamides (PA6 and PA66)	1.131.12.	10 000 tonnes	0 %
09.2721	ex 5906 99 90	20	<ul> <li>Woven and laminated rubberised textile fabric with the following characteristics:</li> <li>with three layers,</li> <li>one outer layer consists of acrylic fabric,</li> <li>the other outer layer consists of polyester fabric,</li> <li>the middle layer consists of chlorobutyl rubber,</li> <li>the middle layer has a weight of 452 g/m<sup>2</sup> or more but not more than 569 g/m<sup>2</sup>,</li> <li>the textile fabric has a total weight of 952 g/m<sup>2</sup> or more but not more than 1 159 g/m<sup>2</sup>, and</li> <li>the textile fabric has a total thickness of 0,8 mm or more but not more than 4 mm, used for the manufacture of the retractable roof of motor vehicles (<sup>1</sup>)</li> </ul>	1.131.12.	375 000 square meters	0 %
09.2866	ex 7019 12 00 ex 7019 12 00	06 26	S glass stratifils (rovings): — composed of continuous glass filaments of 9 μm (± 0,5 μm), — measuring 200 tex or more but not more than 680 tex, — not containing any calcium oxide, and — with a breaking strength of more than 3 550 MPa determined by ASTM D2343-09, for use in the manufacture of aeronautics ( <sup>1</sup> )	1.131.12.	1 000 tonnes	0 %
09.2628	ex 7019 66 00	10	Glass web woven from glass fibre coated in plastic, of a weight of 120 $g/m^2(\pm 10 g/m^2)$ , of a type used in rolling insect screens with fixed frames	1.131.12.	3 000 000 square meters	0 %

22.12.2021

EN

L 458/43

09.2799	ex 7202 49 90	10	Ferro-chromium containing 1,5 % or more but not more than 4 % by weight of carbon and not more than 70 % of chromium	1.131.12.	50 000 tonnes	0 %
09.2652	ex 7409 11 00 ex 7410 11 00	30 40	Refined copper foil and strips, electrolytically manufactured, with a thickness of 0,015 mm or more	1.131.12.	1 020 tonnes	0 %
09.2734	ex 7409 19 00	20	<ul> <li>Plates or sheets consisting of:</li> <li>a layer of a silicon nitride ceramic with a thickness of 0,32 mm (± 0,1 mm) or more but not more than 1,0 mm (± 0,1 mm),</li> <li>covered on both sides with a foil of refined copper with a thickness of 0,8 mm (± 0,1 mm), and</li> <li>on one side partially covered with a coating of silver</li> </ul>	1.131.12.	7 000 000 pieces	0 %
09.2662	ex 7410 21 00	55	<ul> <li>Plates:</li> <li>consisting of at least one layer of fibreglass fabric impregnated with epoxide resin,</li> <li>covered on one or both sides with copper foil with a thickness of not more than 0,15 mm,</li> <li>with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,</li> <li>with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,</li> <li>with a comparative tracking index (CTI) of 600 or more</li> </ul>	1.131.12.	80 000 square meters	0 %
09.2835	ex 7604 29 10	30	Aluminium alloy rods with a diameter of 300,1 mm or more, but not more than 533,4 mm	1.131.12.	1 000 tonnes	0 %
09.2736	ex 7607 11 90 ex 7607 11 90 ex 7607 11 90 ex 7607 11 90 ex 7607 11 90	75 77 78 79	<ul> <li>Aluminium and magnesium alloy strip or foil:</li> <li>of an alloy conforming to standards 5182-H19 or 5052-H19,</li> <li>in rolls with an outside diameter of minimum 1 250 mm but not more than 1 350 mm,</li> <li>of a thickness (tolerance - 0,006 mm) of 0,15 mm, 0,16 mm, 0,18 mm or 0,20 mm,</li> <li>of a width (tolerance ± 0,3 mm) of 12,5 mm, 15,0 mm, 16,0 mm, 25,0 mm, 35,0 mm, 50,0 mm or 356 mm,</li> <li>having a camber tolerance of not more than 0,4 mm/750 mm,</li> <li>of a flatness measurement: I-unit ± 4,</li> <li>having a tensile strength of more than (5182-H19) 365 MPa or (5052-H19) 320 MPa, and</li> <li>of an elongation A50 of more than (5182-H19) 3 % or (5052-H19) 2,5 %, for use in the manufacture of slats for blinds (<sup>1</sup>)</li> </ul>	1.131.12.	600 tonnes	0 %
09.2722	8104 11 00		Unwrought magnesium, containing at least 99,8 % by weight of magnesium	1.131.12.	120 000 tonnes	0 %
09.2840	ex 8104 30 00	20	Magnesium powder: — of purity by weight of 98 % or more, but not more than 99,5 %, and — with a particle size of 0,2 mm or more but not more than 0,8 mm	1.131.12.	2 000 tonnes	0 %

L 458/44

09.2629	ex 8302 49 00	91	Aluminium telescopic handle for use in the manufacture of luggage $(^{1})$	1.131.12.	1 500 000 pieces	0 %
09.2720	ex 8413 91 00	50	<ul> <li>Pump head for two cylinder high pressure pump made of forged steel, with:</li> <li>milled threaded fittings with a diameter of 10 mm or more but not more than 36,8 mm, and</li> <li>drilled fuel channels with a diameter of 3,5 mm or more but not more than 10 mm, of a kind used in diesel injection systems</li> </ul>	1.131.12.	65 000 pieces	0 %
09.2569	ex 8414 90 00	80	<ul> <li>Turbocharger wheel housing of cast aluminium alloy or cast iron:</li> <li>— with a heat resistance up to 400 °C,</li> <li>— with a hole of 30 mm or more but not more than 300 mm for the insertion of the compressor wheel,</li> <li>for use in the automotive industry (<sup>1</sup>)</li> </ul>	1.131.12.	4 000 000 pieces	0 %
09.2570	ex 8482 91 90	10	Rollers with a logarithmic profile and a diameter of 25 mm or more but not more than 70 mm or balls with a diameter of 30 mm but not more than 100 mm, — made of 100Cr6 steel or 100CrMnSi6-4 steel (ISO 3290), — with a deviation of 0,5 mm or less as determined with the FBH method for use in wind turbine industry ( <sup>1</sup> )	1.131.12.	600 000 pieces	0 %
09.2738	ex 8482 99 00	30	<ul> <li>Brass cages with the following characteristics:</li> <li>continuously or centrifugally cast,</li> <li>turned,</li> <li>containing by weight 35 % or more, but not more than 38 % of zinc,</li> <li>containing by weight 0,75 % or more, but not more than 1,25 % of lead,</li> <li>containing by weight 1,0 % or more, but not more than 1,4 % of aluminium, and</li> <li>with a tensile strength of 415 Pa or more,</li> <li>of a kind used for the manufacture of ball bearings</li> </ul>	1.131.12.	50 000 pieces	0 %
09.2763	ex 8501 40 20 ex 8501 40 80	40 30	Electric AC commutator motor, single-phase, with an output of 250 W or more, an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm ( $\pm$ 0,2 mm) but not more than 135 mm ( $\pm$ 0,2 mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners ( <sup>1</sup> )	1.131.12.	2 000 000 pieces	0 %
09.2672	ex 8529 90 92 ex 9405 42 31	75 70	Printed circuit board with LED diodes: — whether or not equipped with prisms/lens, and	1.131.12.	115 000 000 pieces	0 %

22.12.2021

			<ul> <li>whether or not fitted with connector(s)</li> <li>for the manufacture of backlight units for goods of heading 8528 (<sup>1</sup>)</li> </ul>			
09.2574	ex 8537 10 91	73	<ul> <li>Multifunctional device (instrument cluster) with:</li> <li>curved TFT LCD display (radius 750 mm) with touch-sensitive surfaces,</li> <li>microprocessors and memory chips,</li> <li>acoustic module and loudspeaker,</li> <li>connections for CAN, 3 x LIN bus, LVDS and Ethernet,</li> <li>for operating various functions (e.g. chassis, lighting) and</li> <li>for situation-related display of vehicle and navigation data (e.g. speed, odometer, charge level of the drive battery),</li> <li>for use in the manufacture of passenger cars powered solely by an electric motor covered by HS subheading 8703 80 (<sup>1</sup>)</li> </ul>	1.131.12.	66 900 pieces	0 %
09.2003	ex 8543 70 90	63	Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 mm x 30 mm	1.131.12.	1 400 000 pieces	0 %
09.2910	ex 8708 99 97	75	Aluminium alloy support bracket, with mounting holes, whether or not with fixation nuts, for indirect connection of the gearbox to the car body for use in the manufacture of goods of Chapter 87 $(^1)$	1.131.12.	200 000 pieces	0 %
09.2694	ex 8714 10 90	30	Axle clamps, housings, fork bridges and clamping pieces, of aluminium alloy of a kind used for motor bikes	1.131.12.	1 000 000 pieces	0 %
09.2668	ex 8714 91 10 ex 8714 91 10 ex 8714 91 10	21 31 75	Bicycle frame, constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles (including electric bicycles) ( <sup>1</sup> )	1.131.12.	600 000 pieces	0 %
09.2564	ex 8714 91 10 ex 8714 91 10 ex 8714 91 10	25 35 77	Frame, constructed from aluminium or aluminium and carbon fibres and artificial resin, for the use in the manufacture of bicycles (including electric bicycles) ( <sup>1</sup> )	1.131.12.	9 600 000 pieces	0 %
09.2579	ex 9029 20 31 ex 9029 90 00	40 40	Clustered instrument panel with: — stepping motors, — analog pointers and dials, — or without microprocessor control board, — or without LED indicators or LCD display, — showing at least: — speed, — engine revolutions, — engine temperature,	1.131.12.	160 000 pieces	0 %

	<ul> <li>the fuel level,</li> <li>communicating via CAN-BUS and/or K-LINE protocols,</li> <li>for use in the manufacture of goods of Chapter 87 (<sup>1</sup>)</li> </ul>		
uspension of duties is subject to end-use cu	stoms supervision in accordance with Article 254 of Regulation (EU) No 952/2013.		

(1) Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/201
 (2) However, the suspension of tariff duties does not apply where the processing is carried out by retail or catering undertakings.
 (3) Only the *ad valorem* duty is suspended. The specific duty shall continue to apply.